



BRONMETAL

Kupfer Cu

Produkt format:

Technische daten:

Ducting Kühlrohre

Rundrohre aus Kupfer für die Herstellung von Kälte-und Klimatechnik (channelers)



MAßNAHMEN

Außendurchmesser (Nennmaß)			Wanddicke (Nennmaß)						
d			e						
Metrische Reihe	Zollreihe		mm						
mm	mm	in	0,80	1,00	1,25	1,50	1,65	2,00	2,50
	3,18	1/8	•						
	3,97	5/32	•	•					
	4,76	3/16	•						
6			■ •	•					
	6,35	1/4	•	•					
	7,94	5/16	•	•					
8			■ •	•					
	9,52	3/8	•	•					
10			■ •	■ •					
12				■ •					
	12,70	1/2	•	■ •					
15				■ •					
	15,87	5/8		■ •					
18				■ •					
	19,06	3/4		•	■				
22				■ •					
	22,23	7/8		•	■				
	25,40	1		■					



Außendurchmesser (Nennmaß)			Wanddicke (Nennmaß)						
d			e						
Metrische Reihe	Zollreihe		mm						
mm	mm	in	0,80	1,00	1,25	1,50	1,65	2,00	2,50
28						■			
	28,57	1 1/8		■	■				
	34,92	1 3/8			■				
35						■			
	41,27	1 5/8			■				
42						■			
	53,97	2 1/8					■		
54								■	
64								■	
	66,67	2 5/8			■		■	■	
76,1								■	
	79,37	3 1/8					■		■
	88,90	3 1/2						■	
	92,07	3 5/8					■		■
	104,80	4 1/8					■		■
108									■

ANMERKUNG - Diese Tabelle ist ein erster Schritt in Richtung auf eine Norm, die nur metrische Werte enthält.

- in geraden Längen erhältlich..
- in Ringen erhältlich.

